



IPC
EAGLE

SWEEPERS - RIDER

1280

The 1280 Sweeper is a compact and maneuverable ride-on sweeper with a choice of three work programs to make cleaning of large surfaces easy and efficient.

MOST FREQUENT USE



MAX PRODUCTIVITY

68,000 ft²/h

BATTERY RUN TIME

2.5-5.2h

KEY SPECS

48" cleaning path
28 gal capacity



CONTROL PANEL



BATTERY




HIGH DUMP





SLS™
SELF-LEVELLING
SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



1280

.01 HIGH DUMP OF DEBRIS



.02 SELF-LEVELING BRUSH

.03 LARGE HOPPER CAPACITY

Other Features

- Main brush with special "V" shape collects full amount of debris.
- Self-leveling mechanical system provides even pressure between brush and floor
- Dust micro-filtration (up to 3 micron) through special fabric filter
- Special flap is activated from the driver's seat for large debris collection
- Protected and waterproof control panel
- Easy to use due to intuitive commands
- Deactivation and restart of working functions simply by traction pedal
- Long life polyester washable filter.
- Filter intervals can be programmed through electronic board
- Main brush replacement without tools
- Heavy duty motors equipped with preventative protection systems

1280

PRODUCTIVITY

Max theoretical productivity	ft ² /h - m ²	68,000/ 7,700 m ²
Max working width	in/mm	48 in/ 1220 mm
Hopper volume	Gal/ l	28 gal/ 105 l
Main brush width	in/ mm	27 in/ 690 mm
Max Speed	mph/ kph	4 mph/ 6 kph
Run time	min	180-290

AVAILABLE ACCESSORIES

6V 240 AH BATTERY
6V240E



12V 230 AH BATTERY
12V100-AGM



CHARGER WET/GEL
BACA00136



BATTERY WATERING SYSTEM
CR-BWS-L-4



GET RIGHT SIZED

	Description	Continuous run-time	Theoretical ft ² / h	Maximum Theoretical ft ² /charge	Ft ² charge efficiency (70%)
1280	240 ah Battery	4.0	68,102	272,408	190,685
1280	225ah AGM Battery	4.0	68,102	272,408	190,685



IPC Eagle Corporation
12450 Oliver Ave S Burnsville, MN 55337

800-486-2775
info@ipceagle.com