

HD COMPACT CLASS



Designed to move.

The HD 1.8/13 C compact cold water pressure washer offers maximum portability, maneuverability and smart features. It can be stored, transported and operated in the vertical and horizontal position, and at 55.6 lbs, this professionally built unit can easily be moved by one person in and out of vehicles and around a cleaning site. It also includes storage options for accessories and is certified to UL and CSA safety standards.























Shown with optional surface cleaner 2.642-998.0

1 Vertical and horizontal operation

Vertical and horizontal operation for maximum flexibility, safety and stability.

3 Mobility and ease of maintenance

- Additional carrying handle for easy transportation to various locations, loading and unloading, and moving over stairs.
- Extendable push bar handle allows for easier maneuverability, control and storage.
- Large, removable and easy to clean water inlet filter that protects the pump from debris.

3 Storage

- Rubber strap for secure storage of high-pressure hose.
- Nozzle compartment for rotary nozzle storage and protection during transportation.
- Screw joint for surface cleaner storage.
- Integrated, high walled storage area secures the spray wand, protecting it from potential damage during transportation.

4 EASY!Force trigger gun

EASY!Force technology holds the trigger down once you start it, avoiding the strain on your hands associated with other trigger gun.

Manufacturer PDF Provided by www.southeasternequipment.net

Technical data and equipment.

□ 2.115-001.0 ■ Nipple

■ Included □ Optional ■ Compatible with EASY!Lock

TECHNICAL DATA												
Mod	Model Pa			GPM	PSI	Drive	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches	
HD	1.8/13 C	1.520-9	16.0	1.8	1300	Direct	120V / 1ph ~ / 60 Hz	14	Kärcher Axial	55.6	37 x 15 x 14	
ACCESSORIES												
	Order No.	De	Description									
-	4.118-005.0	D∎ EA	EASY!Force trigger gun									
•	4.112-006.0	33	33" Spray lance									
-	6.110-034.0	33	33' EASY!Lock hose									
•	4.117-027.0	O ■ Tri	Triple jet nozzle, 032									
	2.112-000.0	O ■ Inr	Inno Foam kit									
	2.112-010.0	D ■ Ea	Easy Foam set									
	4.112-035.0	D ■ Fle	Flexible spray lance									
	6.110-049.0	D∎ Pi	Pipe cleaning hose 65', 1740 psi									
	6.110-050.0	D∎ Pi	Pipe cleaning hose 98', 1740 psi									
	6.110-008.0	D∎ Pip	Pipe cleaning hose 65', 3625 psi									
	4.113.004.0	Ro	Rotating washing brush nylon bristles									
	4.113-003.0	D ■ Ro	Rotating washing brush natural fiber bristles									
	2.111-011.0	D ■ Su	rface cle	aner FR 30								
	2.111-016.0	D ■ Su	Surface cleaner FR TR Classic									
	2.111-010.0	D ■ Su	Surface cleaner FRV TR 30									
	4.115-006.0) = We	Wet blasting attachment									
	4.111-022.0	D ■ No	Nozzle connector									
	4.111-037.0		Coupling									
	2.115-000.0	O ■ Qu	ick-relea	ase coupling								

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Tel. 888-805-9852











