

KÄRCHER

HDS UPRIGHT CLASS

Compact, professional upright hot water pressure washer that is lightweight and easy to transport.



Made in Germany



0-1 h



EASY!Force



5x
LIFETIME
FULL CERAMIC
VALVE



1 x 360°
EASY!Lock

Order no.

1.064-907.0

- Professional entry-level model for mobile applications
- Innovative, space-saving upright design
- Flue gas temperature monitor

Cartridge filter paper

EAN code		886622014072
Power supply	Ph / V / Hz	1 / 120 / 60
Flow rate	gal/min	1.7
Operating pressure	psi	1200 / max. 1700
Connected load	hp	2.3
Ship Weight (with accessories)	lb	144.2
Weight incl. packaging	lb	162.3
Dimensions (L x W x H)	in	24.3 x 24.3 x 39.1

Foam applicators

Sweepers and vacuum sweepers	■
Digital Solutions	■
Suction nozzles	with stainless steel pistons
Steam Cleaners	■
Triple nozzle (0°/25°/40°)	manual
Walk-behind floor sweeper	EASY!Force Advanced
Ride-on floor scrubber	■

■ Included in delivery.



Innovative upright design

- Effortless transport over landings or stairs.
- Large wheels for unpaved surfaces.



Fine-mesh water filter

- Efficiently protects high-pressure pump against contamination.
- Professional Air Purifier




Compact design

- Space-saving storage and transport.
- Spill-proof pump and fuel tank for transport lying down.
- Ideal for small service vehicles.

EQUIPMENT FOR HDS UPRIGHT CLASS

1.064-907.0



		Order no.	Crevice nozzles	
TRIGGER GUNS				
EASY!Force Advanced Pressure Washer Trigger Gun	1	4.118-005.0	Effortless, not energy-sapping: the EASY!Force high-pressure gun uses the recoil force of the high-pressure jet to reduce the holding force for the operator to zero.	■
SPRAY LANCES				
Rotating spray lances				
Spray lance, 33", rotatable	2	4.112-006.0	33-inch / 850 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	■
Spray lance, 41", rotatable	3	4.112-000.0	41" stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
Flexible spray lance				
Flexible lance, 41"	4	4.112-035.0	41" flexible lance with variable bend from 20° to 140°, ideal for cleaning difficult to reach areas, e.g. gutters.	□
Gutter cleaner				
Gutter cleaning lance	5	2.112-015.0		□
Undercarriage spray lance				
Underbody lance	6	4.112-032.0		□
MULTIPLE-JET NOZZLES				
Triple nozzles				
Triple nozzle, 032	7	4.117-027.0	Triple nozzle with manual nozzle changeover. Convenient spray adjustment. For machines with an injector, the low-pressure flat stream is useful for cleaning agent suction and application.	■
HIGH-PRESSURE HOSES				
Standard with unions on both sides				
Pressure washer hose, 33 ft, DN 6, 3626 PSI, 2 × EASY!Lock	8	6.110-034.0	High-pressure hose, 33' long with EASY!Lock hand screw connection at both ends. ID 6, suitable for up to 3.625 PSI.	■
	9	6.110-035.0		□
Pressure washer hose, 33 ft, DN 8, 4569 PSI, 2 × EASY!Lock	10	6.110-031.0		□
Pressure washer hose, 49 ft, DN 8, 4569 PSI, 2 × EASY!Lock	11	6.110-030.0		□
Pressure washer hose, 98 ft, DN 8, 4569 PSI, 2 × EASY!Lock	12	6.110-014.0		□
Longlife 400 with unions on both sides				
Pressure washer hose, heavy-duty, 98 ft, DN 8, 5802 PSI, 2 × EASY!Lock	13	6.110-023.0		□
Pressure washer hose, heavy-duty, 66 ft, DN 8, 5802 PSI, 2 × EASY!Lock	14	6.110-027.0		□

■ Included in delivery. □ Available accessories. ○ Cleaning agents.

EQUIPMENT FOR HDS UPRIGHT CLASS

1.064-907.0



		Order no.	Crevice nozzles	
HIGH-PRESSURE HOSES				
Longlife 400 with unions on both sides				
Pressure washer hose, heavy-duty, 49 ft, DN 8, 5802 PSI, 2 × EASY!Lock	15	6.110-029.0		<input type="checkbox"/>
Food industry version with unions on both sides				
Pressure washer hose, food-grade, 33 ft, DN 8, 3626 PSI, 2 × EASY!Lock	16	6.110-051.0	Pressure washer hose (ID 6), 98-foot long, with gray, non-marking outer covering. Approved for use in the food industry. With quick and robust EASY!Lock hand screw connection at both ends.	<input type="checkbox"/>
KÄRCHER POWER NOZZLE				
Power nozzle spray angle 40°				
Power nozzle 40°, 040	17	2.113-003.0		<input type="checkbox"/>
NOZZLE UNION / SPACER				
Nozzle union				
Pressure Washer Screw Protection Part TR only for replacement	18	4.112-011.0	Nozzle screws with protectors for high-pressure and power nozzles	<input type="checkbox"/>
PIPE CLEANING				
Pipe cleaning hose, ID 6				
Pipe cleaning hose, DN 6, 20 m, 220 bar	19	6.110-008.0	The 20 m pipe cleaning hose is a highly flexible high pressure hose for pipe interior cleaning (threaded connection for nozzle R 1/8).	<input type="checkbox"/>
FLOOR AND HARD SURFACE CLEANER				
Hard Surface Cleaner FRV 30				
Add-on kit hose attachment	20	2.642-528.0		<input type="checkbox"/>
Add-on kit dirt trap	21	2.642-532.0		<input type="checkbox"/>
FR 30 Me surface cleaner				
FR 30 ME surface cleaner	22	2.111-013.0		<input type="checkbox"/>
Machine-specific nozzle kits for FR				
Nozzle kit for FR, 118 gal/h - 132 gal/h	23	2.640-482.0		<input type="checkbox"/>
Machine-specific nozzle kits for FRV				
Nozzle kit for FRV, 035	24	2.642-430.0		<input type="checkbox"/>
FRV 30 Me surface cleaner				
Suction hose FRV 30 me	25	4.441-040.0		<input type="checkbox"/>
FRV 30 ME	26	2.111-012.0		<input type="checkbox"/>
MIXERS AND INJECTORS				
Cleaning agent injector				
Detergent injector for high pressure	27	4.637-033.0		<input type="checkbox"/>
QUICK CONNECT				
Quick-fitting pipe union coupler trapezo	28	2.115-000.0	For fast changes between different spray lances/accessories. Perfect for Kärcher spray unit, suitable for trigger gun/spray lance interface. With M 22 × 1.5 internal thread.	<input type="checkbox"/>

Available accessories.

EQUIPMENT FOR HDS UPRIGHT CLASS

1.064-907.0



		Order no.	Crevice nozzles	
QUICK CONNECT				
Quick-fitting pipe union plug nipple tra	29	2.115-001.0	Hardened stainless steel male coupling for quick coupling 2.115-000. With M 22 × 1.5 external thread.	<input type="checkbox"/>
COUPLING PARTS				
Connector				
Nozzle connector/screw connector	30	4.111-022.0	For attaching high-pressure nozzles and accessory parts to the HD trigger gun (with nozzle screws) - 1 × M 22 × 1.5/1 × M 18 × 1.5.	<input type="checkbox"/>
Screw union	31	4.111-038.0		<input type="checkbox"/>
Adapter EASY!Lock				
Adapter 4 - AVS - EASY!Lock	32	4.111-032.0	EASY!Lock - AVS. Adapter for connecting EASY!Force trigger gun and high-pressure hoses with AVS swivel connection.	<input type="checkbox"/>
Adapter 8 - M18 × 1.5 - EASY!Lock	33	4.111-036.0	EASY!Lock - M 18 × 1.5. Adapter for connecting spray lances with EASY!Lock and nozzles with M 18 × 1.5 connection.	<input type="checkbox"/>
Coupler - 2xM22x1,5	34	4.111-037.0	Adapter 9 to connect the new hose with the new hose	<input type="checkbox"/>
HOSE REELS				
Automatic, self-winding hose reels				
Powder-coated swivel holder	35	2.639-931.0		<input type="checkbox"/>
FASSADEN- UND SOLARREINIGUNG				
Teleskopstangen				
Telescope lance hybrid 7 m	36	4.762-610.0		<input type="checkbox"/>
Telescope lance carbon 10 m	37	4.762-612.0		<input type="checkbox"/>
Telescope lance carbon 14 m	38	4.762-613.0		<input type="checkbox"/>
WET BLASTING ATTACHMENT				
Wet blasting attachment (without nozzle)				
Wet blasting attachment with flow control (without nozzles)	39	4.115-000.0		<input type="checkbox"/>
Wet blasting attachment without flow control (nozzles not included)	40	4.115-006.0	Paint, rust and scale removal made easy: Kärcher wet blasting attachment with flow control for adding blasting abrasive to the high-pressure jet. Without flow control.	<input type="checkbox"/>
WATER CONNECTION				
Water supply hose				
Water supply hose	41	4.440-207.0		<input type="checkbox"/>
WASHING BRUSHES				
Rotating washing brush				
Rotary Washing Brush (nylon bristles)	42	4.113-004.0	The rotating wash brush gently removes fine dust and traffic film from all surfaces. Temperature resistant up to 60°C. (M 18 × 1.5, replaceable brush insert).	<input type="checkbox"/>

Available accessories.

EQUIPMENT FOR HDS UPRIGHT CLASS 1.064-907.0



		Order no.	Crevice nozzles	
WASHING BRUSHES				
Rotating washing brush				
Rotary Washing Brush (natural bristles)	43	4.113-003.0	Driven by water stream. Gently removes fine dust and traffic film from any surface. Temperature resistant up to 60°C, M 18 × 1.5 (replaceable brush insert).	<input type="checkbox"/>

Available accessories.